



FIG. 7401 Rigidlok[®] Coupling

The Fig. 7401 Rigidlok Coupling is an ideal connector for service and applications that require a rigid connection.

The Fig. 7401 Rigidlok coupling utilizes a technologically advanced housing design that conforms to and grips the pipe.

Coupling installation is fast and easy, remove only one nut and swing the housing over the gasket and into the grooves. The exclusive Guidelok® feature automatically separates the grooved pipe ends and guides the coupling into position as the bolts are tightened. Precisely sized and oriented tines in the housing key section firmly grip the pipe. The combination of these designed in features produce a secure, rigid pipe joint connection.

The Fig. 7401 Rigidlok Coupling is designed for use with roll grooved or cut grooved standard weight and roll grooved



lightweight pipe, as well as with grooved-end fittings and valves. The Rigidlok Coupling provides a rigid pipe connection allowing pipe hanging practices per ASME B31 pipe codes.

The Fig. 7401 Rigidlok Coupling allows for a maximum working pressure of 750 psi (51.7 bar) when used on standard wall roll or cut grooved pipe.

MATERIAL SPECIFICATIONS

BOLTS:

SAE J429, Grade 5, Zinc Electroplated ISO 898-1, Class 8.8, Zinc Electroplated followed by a Yellow Chromate Dip

HEAVY HEX NUTS:

ASTM A563, Grade A, Zinc Electroplated ISO 898-2, Class 8.8, Zinc Electroplated followed by a Yellow Chromate Dip

STAINLESS STEEL BOLTS & NUTS:

304SS bolts and nuts are available as a standard option. (316SS are available for special order).

HOUSING:

Ductile Iron conforming to ASTM A 536, Grade 65-45-12

COATINGS:

- Rust inhibiting paint Color: ORANGE (standard)
- □ Hot Dipped Zinc Galvanized (optional)
- □ Other Colors Available (IE: RAL3000 and RAL9000)
- For other Coating requirements contact an Anvil Representative.

GASKETS: Materials

Properties as designated in accordance with ASTM D 2000

- Grade "EP" EPDM (Green and Red color code)
 - -40°F to 250°F (Service Temperature Range)(-40°C to 121°C) Recommended for water service, diluted acids, alkalies solutions, oil-free air and many other chemical services. NOT FOR USE IN PETROLEUM APPLICATIONS.

For hot water applications the use of Gruvlok Extreme Temperature lubricant is recommended. NSF-61 Certified for cold and hot water applications up through 12".

- Grade "T" Nitrile (Orange color code)
 -20°F to 180°F (Service Temperature Range)(-29°C to 82°C)
 Recommended for petroleum applications. air with oil vapors and vegetable and mineral oils.
 NOT FOR USE IN HOT WATER OR HOT AIR
- Grade "O" Fluoro-Elastomer (Blue color code) Size Range: 1" - 12" (C style only)
 20°F to 300°F (Service Temperature Range)(-29°C to 149°C) Recommended for high temperature resistance to oxidizing acids, petroleum oils, hydraulic fluids, halogenated hydrocarbons and lubricants.
- Grade "L" Silicone (Red color code) Size Range: 1" - 12" (C style only) -40°F to 350°F (Service Temperature Range)(-40°C to 177°C) Recommended for dry, hot air and some high temperature chemical services. Contact an Anvil Representative for availability.

GASKET TYPE:

- 🖵 C Style (1" 24")
- Gap (1" 24")

LUBRICATION:

- Standard
- $\hfill\square$ Gruvlok Xtreme TM (Do Not use with Grade "L")

PROJECT INFORMATION	APPROVAL STAMP
Project:	Approved
Address:	Approved as noted
Contractor:	Not approved
Engineer:	Remarks:
Submittal Date:	
Notes 1:	
Notes 2:	



FIG. 7401 Rigidlok[®] Coupling







FIGURE 7401 RIGIDLOK COUPLING												
Nominal		Max. Working	Max.	Range of	Coupling Dimensions			Coupling Bolts*		Specified Torque §		Approx. Wt.
Size	U.D.	Pressure [†]	End Load	Separation	Х	Y	Z	Qty.	Size	Min.	Max.	Ea.
In./DN(mm)	In./mm	PSI/bar	Lbs./kN	In./mm	In./mm	In./mm In./mm In./mm FtLbs/N		In./mm		s/N-M	Lbs./kg	
1 ¹ /2	1.900	750	2,126	0-1/32	3	5 ¹ /8	11 %	2	³ / ₈ x 2 ¹ / ₄	30	45	1.8
40	48.3	51.7	9.46	0-0.79	76	130	48		M10 x 57	40	60	0.8
2	2.375	750	3,323	0-1/32	3 ½	55%	11/8	2	³ /8 x 2 ¹ /2	30	45	2.4
50	60.3	51.7	14.78	0-0.79	89	143	48		M10 x 63	40	60	1.1
2 ¹ / ₂	2.875	750	4,869	0-1/32	4	6 ¹ /8	111/8	2	³ /8 x 2 ¹ /2	30	45	2.9
65	73.0	51.7	21.66	0-0.79	102	156	48		M10 x 63	40	60	1.3
3 O.D.	2.996	750	5,207	0-1/32	41/8	61/8	17/8	2	³ /8 x 2 ¹ /2	80	100	3.4
76.1	76.1	51.7	23.52	0-0.79	105	156	48		M10 x 63	110	150	1.5
3	3.500	750	7,216	0-1/32	4 ³ ⁄4	71/4	11/8	2	½ x 3	80	100	3.6
80	88.9	51.7	32.10	0-0.79	121	184	48		M12 x 76	110	150	1.6
4	4.500	750	11,928	0-3/32	51/8	83/8	2 ¹ /8	2	½ x 3	80	100	5.0
100	114.3	51.7	53.06	0-2.38	149	213	54		M12 x 76	110	150	2.3
5½ 0.D.	5.500	750	17,819	0-3/32	7	9 ³ /4	21/8	2	⁵ /8 x 3 ¹ /2	100	130	6.9
139.7	139.7	51.7	79.26	0-2.38	178	248	54		M16 x 85	135	175	3.1
5	5.563	750	18,229	0-3/32	7	10	2 ¹ /8	2	5% x 31/2	100	130	6.9
125	141.3	51.7	81.09	0-2.38	178	254	54		M16 x 85	135	175	3.1
6½ 0.D.	6.500	750	24,887	0-3/32	8	11	21/8	2	5/8 x 31/2	100	130	7.6
165.1	165.1	51.7	110.70	0-2.38	203	279	54		M16 x 85	135	175	3.4
6	6.625	750	25,854	0-3/32	8 ¹ / ₈	11 ¹ /8	21/8	2	5% x 31/2	100	130	7.9
150	168.3	51.7	115.00	0-2.38	206	283	54		M16 x 85	135	175	3.6
8	8.625	600	35,056	0-3/32	10½	14 ¹ /8	25/8	2	³ / ₄ x 4 ¹ / ₂	130	180	15.9
200	219.1	41.4	155.94	0-2.38	267	359	67		M20 x 110	175	245	7.2
10	10.750	500	45,381	0-3/32	12 ⁷ /8	17½	25/8	2	1 x 6	200	250	25.6
250	273.1	34.5	201.87	0-2.38	327	445	67		M24 x 150	270	340	11.6
12	12.750	400	51,070	0-3/32	15	19½	25/8	2	⁷ ∕8 x 6	180	220	30.5
300	323.9	27.6	227.17	0-2.38	381	495	67		M22 x 150	245	300	13.8
14	14.000	300	46,181	0-3/32	16¼	19 ³ ⁄4	3	2	⁷ /8 x 5 ¹ /2	180	220	36.1
350	355.6	20.7	205.43	0-2.38	413	502	76		M22 x 140	245	300	16.4
16	16.000	300	60,319	0-3/32	18½	22 ¹ /4	3	3	⁷ /8 x 5 ¹ /2	180	220	42.0
400	406.4	20.7	268.31	0-2.38	460	565	76		M22 x 140	245	300	19.1
18	18.000	300	76,341	0-3/32	20 ¹ /2	24%	31/8	4	1 x 4	200	250	51.6
450	457.2	20.7	339.58	0-2.38	521	619	79		M24 x 100	270	340	23.4
20	20.000	300	94,248	0-3/32	23	267/8	31/8	4	1 x 4	200	250	68.3
500	508.0	20.7	419.23	0-2.38	581	683	79		M24 x 100	270	340	31.0
24	24.000	250	113,097	0-3/32	27 ¹ /8	307/8	31/8	4	1 x 4	200	250	89.3
600	609.6	17.2	503.08	0-2.38	689	784	79		M24 x 100	270	340	40.5

NOTE:

Range of Pipe End Seperation values are for roll grooved pipe and may be doubled for cut groove pipe. [†]Maximum Working Pressure Rating is for schedule 40 steel pipe. For light wall, stainless steel, aluminum and ISO pipe pressure ratings, please refer to the technical data section. For additional details see "Coupling Data Chart Notes" in the Introduction Section of the Gruvlok Catalog. * Available in ANSI or metric bolt sizes only as indicated.

d ISO pipe § – For additional Bolt Torque information, see the Technical Data Section of the Gruvlok Catalog.
 See Installation & Assembly directions on next page.
 Not for use in copper systems.





FIG. 7401 Rigidlok[®] Coupling



CHECK & LUBRICATE GASKET— Check gasket to be sure it is compatible for the intended service. Apply a thin coating of Gruvlok lubricant to the exterior surface and sealing lips of the gasket. Some applications require lubrication of the entire gasket surface. Be careful that foreign particles do not adhere to lubricated surfaces.



2GASKET INSTALLATION— Slip the gasket over the pipe end making sure the gasket lip does not overhang the pipe end.

On couplings 10" and larger it may be easier to turn the gasket inside out then lubricate and slide the gasket over the pipe end as shown.



3 ALIGNMENT— After aligning the two pipe ends, pull the gasket into position centering it between the grooves on each pipe. Gasket should not extend into the groove on either pipe.

On couplings 10" and larger, flip or roll the gasket into centered position.





HOUSINGS— Remove one nut and bolt and loosen the other nut. Place one housing over the gasket, making sure the housing keys fit into the pipe grooves. Swing the other housing over the gasket and into the grooves on both pipes, making sure the tongue and recess of each housing is properly mated. Reinsert the bolt and run-up both nuts finger tight.



5 TIGHTEN NUTS— Securely tighten nuts alternately and equally to the specified bolt torque, keeping the gaps at the bolt pads evenly spaced.

CAUTION: Uneven tightening may cause the gasket to pinch. Gasket should not be visible between segments after bolts are tightened.



6Visually inspect the pipe joint to assure the coupling keys are fully engaged in the pipe grooves. The bolt pads are to have equal gaps on each side of the coupling.

NOTE: Sizes 16" and larger are cast in multiple segments. To install the larger sizes align the tongue and pocket of the couplings appropriately and tighten the nuts alternately to the specified bolt torque. When properly assembled there will be a small equal gap between the adjacent bolt pads.

CAUTION: Proper torquing of coupling bolts is required to obtain specified performance. Over torquing the bolts may result in damage to the bolt and/or casting which could result in pipe joint separation. Under torquing the bolts may result in lower pressure retention capabilities, lower bend load capabilities, joint leakage and pipe joint separation. Pipe joint separation may result in significant property damage and serious injury.