R. D. BITZER CO., INC.

776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

PRICING 2025

To our valued wholesale customers, Xylem and the R.D. Bitzer Company has implemented a general price increase effective October 13th, 2025. Bell & Gossett, Hoffman, and McDonnell & Miller will incur this increase.

Thank you for your support and we wish you a prosperous 2025.

Sincerely, John Bitzer, John Boyle, & Mike Barchard

776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

Xylem Discounts 2025

Hoffman Speciality Discounts

Order AmountExceptions\$0-1199(x.525)Y Strainers, Supply Valve\$1200+(x.499)Vacuum Breakers\$1200+(x.449)

B&G Hydronic Specialties Products (WPS)

Wholesaler Single Lot 30/25% (x.525) Wholesaler 12 Lot 30/25/5% (x.499)

Replacement Parts Prices (RPP)

Non-Stocking Wholesaler Over \$100 List (x.64) 20/20% Stocking Parts Wholesaler (Qualifying Order of \$1,000 List Annually)

<u>Class I</u>

Over \$100 List 20/20/10% (x.576) Under \$100 List 20/20% (x.64)

Other Items

Over \$100 List 20/20% (x.64)

All prices shown on the following pages are <u>NET</u>. These discounts apply to <u>LIST</u> price sheets in effect at the time of shipment. Standard freight terms apply.

Minimum Billing: \$50 List.

McDonnell & Miller Discounts

Philadelphia Warehouse Orders Orders

Discount

Total List Value Discount Total List Value

\$ 0 - \$1199	25/15%	(x.6375)	\$ 0 - \$1199	25/15%	(x.6375)
\$1200 - \$2399	25/20%	(x.6)	\$1200 - \$2399	25/25%	(x.5625)
\$2400 - \$9499	25/25%	(x.5625)	\$2400 - \$9499	25/30%	(x.525)
		•	\$9500 <i>+</i>	25/30/5%	(.49875)

F.O.B. Philadelphia Warehouse Freight Collect, Except \$15,000+ Minimum Billing: \$50 net Prepaid Minimum Billing: \$100 net

You may combine flow switches, parts and other McDonnell & Miller products for discounts. These discounts apply to price sheets in effect at the time of shipment. Standard freight terms apply.

Factory Direct

776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601

E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

BoilerMag Magnetic Dirt and Air Separator

- Dual Flow Technology filters twice on one pass
- Includes automatic air vent
- Guaranteed no block
- Removes both magnetic and non-magnetic debris
- Easy access for chemical dosing
- Features 1" NPT threaded isolation valves (1.25" NPT adaptors included)

Sizes available through 12"

Olzoo availabio anoagii 12					
Part No	Description	Inlet/Outlet	Single Lot	12 Lot	
BM/R	"BoilerMag Residential - 1.0" npt with 1.25" adapters"	1.0/1.25"	\$179.00	\$160.00	
BM/RP	1" Press Fittings	1.0"	\$179.00	\$160.00	
BMXL/NPT	Boilermag SS – 1.5" NPT (28gpm)	1.5"	\$647.00	\$579.00	

INTRODUCING ESR Electrolytic Scale Reducer - 3/4" - Minimizes

limescale buildup, zero maintenance \$64.75

BoilerMag Chemicals

High Performance chemicals for heating system protection and cleaning play a vital role in controlling and removing iron, calcium, and othe debris such as excess flux.

Helps prevent -

- Inefficient boiler performance
- Premature boiler failure
- Corroding radiators leading to pin-hole leaks
- Leaking and noisy pumps
- Excessive boiler noise
- Radiator Cold Spots

Part No	Description	Single Lot	12 Lot
BM1/P	Boilermag Inhibitor 1 Pint (500ml) (Treats 25 gal.)	\$17.00	\$15.00
BM1/G	Boilermag Inhibitor 1 Gallon (Treats 200 gallons)	\$81.00	\$71.00
BM3/P	Boilermag Cleaner 1 Pint (500ml) (Treats 25 gal.)	\$17.00	\$15.00
BM3/G	Boilermag Cleaner 1 Gallon (Treats 25 gallons)	\$86.00	\$76.00
BM1/TS	Boilermag BM1 Water Test Strips 50 Test Strips	\$40.00	\$35.00
BM3/TS	Boilermag BM3 Water Test Strips 25 Test Strips	\$39.00	\$34.00



776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

Booster Pumps



NRF-9 NRF-32 NRF-33 NRF-36 3 Speed NRF-45 3 Speed NRF-25 3 Speed Series 100 less flanges any quantity \$120.00 less flanges any quantity \$112.00 less flanges any quantity \$202.00 less flanges any quantity \$344.00 less flanges any quantity \$398.00 less flanges any quantity \$124.00 less flanges any quantity \$486.00

Goulds "Sump Thing"



GSP0311 0 0 10 20 30 42 CAPACITY

1/3 HP 115/1/60 10 AMP 1.5" Discharge

- Premium quality pump to keep your basement dry
- Reliable Mechanical switch coupled with solid float for dependable performance
- Cast Iron Motor Housing allowing for optimal heat dissipation
- Approved for Residential use (CSA/CUS Listed).
- Premium Mechanical Seal design provides superior protection against sand and abrasive damage (Silicon Carbide/Carbon/BUNA)
- Engineered motor designed for peak hydraulic performance without overloading.
- Suction Strainer encompasses entire base designed to reduce debris entry
- Corrosion resistant hardware for lifetime use
- 2 year warranty

GSP0311 \$169.00

776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

The newest generation variable speed ECM smart circulator, ecocirc® 20-18 from Bell & Gossett provides a superior product for both heating and cooling as well as potable water. Taking it further than ever before is our new ecocirc+ 20-18 model that allows for wireless connectivity directly to your phone for full control. Combine this pump with our incredible service network, and you have a winner.



ecocirc 20-18 60B0B1000	\$181.00
ecocirc 20-18 Stainless Flanged 60B0B1001	\$242.00
ecocirc 20-18 Stainless Union 60B0B1002	\$240.00
ecocirc+ 20-18 60B0B1003	\$272.00
ecocirc+ 20-18 Stainless Flanged 60B0B1004	\$364.00
ecocirc+ 20-18 Stainless Union 60B01005	\$365.00

ecocirc 20-18 Features

- Maximum of 20 feet of head or 18 GPM
- 70W maximum power
- 3 modes proportional pressure, constant pressure, or adjustable speed control
- Fluid temperature: 14-230°F
- CircGuard™ complete integrated system protection
- Automatic air purge to remove any air trapped in the pump
- One turn knob and multicolor LED display for easy reading and setting of the pump
- Check valve included in box
- Insulation shell included

ecocirc+ 20-18 Features

The ecocirc+ 20-18 comes with all of the standard features found on the ecocirc 20-18 *plus* the following premium features:

- Bluetooth communication+
- 0-10V input+
- Temperature control+
- eAdapt autolearn and Night Mode+
- Digital display+

<u>Autocirc-Potable Hot Water Recirc Pump/Retrofit</u>

B23-5 ACT (for systems with tankless water heater) \$708.00 E3-4/BAPQC (for systems with traditional water heater) \$436.00 Ecocirc wireless pump kit (for systems with traditional water \$528.00 heater)







776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com


ecocirc XL NOW AVAILABLE in 3 Phase!




The ecocirc XL is a highly efficient circulator that enhances commercial hydronics systems with superior quality and dependability. State-of-the-art hydraulics advanced motor design, intelligent controls, and smart communication capabilities highlight expert engineering across a broad range of HVAC and plumbing applications.


Features and Benefits

- Economical operation
 - o Efficient ECM motor
 - o Optimized hydraulics
 - Low operational costs
- Hot, Chilled, and Plumbing Water Applications
- Electronics separated from the pump to prevent condensation and overheating
 Worry free operation even at 14°F
- User-Friendly Interface
 - o Four logically placed buttons
 - Intuitive interface
 - Easy to set and operate
- Pump Protection
 - o Built-in dry-run protection
 - Stops pump if no water
 - o Prevent damage/repairs
- High Visibility
 - o Clear display
 - Large figures and symbols
 - Easy to view pump status
- More Control Options
 - o Multiple inputs
 - Start-stop temp control
 - o Pressure regulation
 - Advanced Modbus or BACnet controls
- Multiple Materials of Construction
 - Cast Iron Volute for HVAC applications
 - o Stainless Steel Volute for Plumbing applications
- Built-In Temperature Sensor for domestic hot water recirculation





776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com



Check-Trol Flange Sets NPT

Pump Model	Size	Model	Part Number	Price Net
NRF,NBF,SSF,100,LR,PR,	3/4"	CTF-3/4	101231	\$75.00
PL-30,PL-36 & PL-55	1"	CTF-1	101232	\$92.00
	1 1/4"	CTF-1 1/4	101233	\$128.00
	1 ½"	CTF-1 ½	101245	\$133.00

Sweat Connections

NRF,NBF,SSF,100,LR,PR,	3/4"	CTFS-3/4	101236	\$75.00
PL-30,PL-36 & PL-55	1"	CTFS-1	101237	\$92.00
	1 1/4"	CTFS-1 1/4	101238	\$128.00
	1 ½"	CTFS-1½"	101247	\$133.00

Temp Setter Thermostatic Balance Valves



B&G TS-1/2	\$202.00 each
B&G TS-3/4	\$211.00 each
B&G TSB-1/2	\$256.00 each
B&G TSB-3/4	\$265.00 each

776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

Replacement Ball Bearing Motors for Booster Pumps

60 Hz Motor Information

Ball Bearing Replacement Motor	2025 Net Price	HP	Volts	Ø	Use with B&G Pump Models	
	0000 00	4/	445/000	_	0.1/	
169239	\$629.00	1/4	115/230	1	2 ½, LD-3	
169240	\$781.00	1/3	115/230	1	HD-3	
169224	\$629.00	1/4	115/230	1	Series 60	
169226	\$927.00	1/3	115/230	1	Series 60	
169228	\$1,175.00	1/2	115/230	1	PD-35S, Series 60	
169230	\$1,343.00	3/4	115/230	1	PD-37S, Series 60	
169229	\$1,175.00	1/2	208-230/460	3	PD-35T, Series 60	
169231	\$1,343.00	3/4	208-230/460	3	PD-37T, Series 60	

Ball Bearing/Sleeve Bearing Replacement Motor Cross Reference Guide

Ball Bearing Replacement Motor	Sleeve Bearing Replacement Motor
169239	111040
169240	111042
169224	169035
169226	169038
169228	111044
169230	111047
169229	111046
169231	111049

776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

Parts Specials

B&G Select Parts

	Part No. Description	Net Price
118473	Coupler	\$67.00
118705	Coupler	\$26.00
118431	Impeller	\$77.00
111031	Motor	\$662.00
111034	Motor	\$469.00
118223	Motor Mounts	\$35.00
118681	#7 Seal Kit	\$44.00
118844	Bearing Assembly	\$162.00
189034	Bearing Assembly	\$158.00
189162	S.S. Bearing Assembly Replaces 189100 & 189104	\$313.00
189163	S.S. Bearing Assembly Replaces 189101 & 189102	\$320.00
189105	Bearing Assembly	\$412.00
189134	Bearing/Impeller Assembly	\$169.00
186863	Bearing Assembly	\$616.00

A minimum order of \$4,200 net on the above parts will earn an extra 10% BEYOND the prices shown!

776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

Hoffman Watchman Condensate Units

Hoffman WC Series- Cast Iron Receivers				
Model	1 Unit	3 Units	6 Units	
WC-6-20B 160029	\$2,235.00	\$2,076.00	\$1,878.00	
WC-8-20B 160030	\$2,428.00	\$2,168.00	\$1,960.00	
WC-12-20B 160031	\$2,969.00	\$2,651.00	\$2,398.00	
WCD-12-20BMA* 160032	\$4,682.00	\$4,180.00	\$3,780.00	
*With Mechanical Alternator	\$4,002.00	\$4,100.00	\$3,760.00	
WCD30-30BMA 160036	\$8,165.00	\$7,290.00	\$6,593.00	

180001 Genuine Hoffman Replacement Pump & Motor Assembly \$1,049.00

Boiler Feed UnitsVertical (VBF)/Horizontal (HBF)

Hoffman Steel Boiler Feed Units			
Model	Any Quantity		
30-VBFS-B 161024	\$3,444.00	Special Promotion Price Only	
50-VBFS-B 161001	\$3,973.00	Special Promotion Price Only	
100-VBFS-B 161003	\$5,540.00	Special Promotion Price Only	
200-VBFS-20 161026	\$8,247.00	Special Promotion Price Only	
50-HBFS-1520 161051	\$3,369.00	Special Promotion Price Only	
100-HBFS-1520 161053	\$4,866.00	Special Promotion Price Only	
200-HBFS-3020 161057	\$7,915.00	Special Promotion Price Only	

776 American Drive, Bensalem, PA 19020 Phone (215) 604-6600; Fax (215) 604-6601 E-mail: sales@rdbitzer.com Web Site: www.rdbitzer.com

Flo-Setter II Valve

The Bell & Gossett Flo-Setter II Valve is a pressure independent flow limiting valve. The Flo-Setter II has an easily adjustable GPM dial which requires no instruments, charts or wheels to accurately set the maximum flow through a circuit with +/- 5% accuracy, regardless of pressure fluctuations in the system. Pairs well with modulating control valves since it limits maximum flow but allows for turndown of flow.

Features and Benefits

- Unique GPM dial is easy to set, no instruments, charts, or wheels needed.
- Maintains set flow rate withing +/- 5% regardless of pressure fluctuations.
- No minimum straight pipe lengths required before or after the valve
- Integrated pressure/temperature ports
- Integral valve shut-off with
- Saves pump energy and improves coil efficiency



Available in Female NPT		
FS-1/2	117630	\$124.00
FS-3/4	117632	\$125.00
FS-1	117643	\$151.00
FS-1-1/4	117636	\$198.00
FS-1-1/2	117637	\$300.00
FS-2	117638	\$322.00